

PERSONAL PROTECTIVE EQUIPMENTS

SAFETY BY CHOICE,
NOT BY CHANCE



PRODUCT
CATALOGUE

SAFETY HELMETS

Model : EV02



Features

- Ev02 Vented/Non-Vented Industrial Safety Helmet
- 6-Point Polyethylene Harness
- One Touch Slip Ratchet

Application

- Construction
- Demolition
- Oil & Gas | Shipping
- Steel & Iron Works
- Fabrication

Model : RADIUSVENTED



Features

- Vented shell (8 vent holes)
- Helmet shell made of UV stabilised ABS or HDPE
- 6-point textile suspension harness
- Made in Germany

Application

- Construction
- Automotive
- Manufacturing | Oil & Gas
- Railways | Shipping
- Logistics & Warehousing

Model : ROCKMAN C3



Features

- High-density polyethylene (HDPE)
- Six-point adjustable harness
- Pinlock-adjustable headband for a great fit
- Plastic sweatband and 12 ventilation holes
- Suitable for use down to -30°C

Application

- Construction
- Automotive
- Manufacturing | Oil & Gas
- Railways | Shipping
- Logistics & Warehousing

Model : VAULTX



Features

- The classic EN397 safety helmet proven to withstand impacts, saving the lives of its wearers.
- With wheel ratchet and without wheel, 6-point comfort harness, STD/Micro peak

Application

- Construction | Demolition
- Oil & Gas | Shipping
- Steel & Iron Works
- Fabrication

Model : ORBIT GOLD



Features

- Lightweight and reliable HDPE Shell with Triple Ribbed design
- Ten air vents for maximum ventilation
- 8-Point LDPE harness & cotton/Foam sweatband offers unrivalled comfort.
- Three level of harness depth adjustment for superior fit

Application

- Construction
- Automotive
- Manufacturing
- Oil & Gas
- Railways
- Shipping
- Logistics & Warehousing

SAFETY HELMET

Model : ORBIT R



Features

- 6 point support for maximum impact absorption
- Highly absorbent sweatband with embedded foam
- Universal slots on both sides for accessories

Application

- Construction
- Demolition | Oil & Gas
- Shipping
- Steel & Iron Works
- Fabrication

Model : RANGER



Features

- 6 point support for maximum impact absorption
- Highly absorbent sweatband with embedded foam
- Provisions for chinstrap fastenings*

Application

- Construction
- Demolition | Oil & Gas
- Shipping
- Steel & Iron Works
- Fabrication

Model : PS52 FULL BRIM



Features

- Full brim hard hat: its wide profile provides extra protection
- Protects against sun, glare, rain, debris and non-toxic splashes
- 4-point plastic suspension harness for wearer comfort, safety and easy cleaning

Application

- Construction
- Automotive
- Manufacturing | Oil & Gas
- Railways | Shipping
- Logistics & Warehousing

Model : PS55 ENDURANCE



Features

- Vented helmet shell to allow air circulation Cooling the wearer's head
- 6-point textile suspension harness for Enhanced wearing comfort and safety
- Size adjustable headband via wheel ratchet system
- Chin strap included

Application

- Construction
- Demolition
- Oil & Gas | Shipping
- Steel & Iron Works
- Fabrication

Model : BUMP CAP



Features

- Protect for Minor Head Bumps
- Polyester/ cotton fabric with ventilated mesh,
- Equipped with an inner shell in PP molded of a TPE
- Cellular band for better shock absorption and longer lifespan.

Application

- Construction
- Automotive
- Manufacturing
- Oil & Gas | Railways | Shipping
- Logistics & Warehousing

FACE SHIELD

Model : SWH 567P



Features

- Corded Ear Plug
- Disposable Ear Plug
- Soft, smooth with round tip
- Perfect protection
- NRR 31 dB
- Packing 100 pairs per box

Application

- This hand-held welding mask is ideal for electrode welding up to 175 A maximum.

Model : 3M 82782



Features

- Safety system comes with headgear and faceshield together
- Molded faceshield provides impact protection
- Five position crown strap and thirteen position ratchet suspension offer customization to individual wearers

Application

- Automotive, Construction, Food and Beverage Manufacturing, General Manufacturing, Sub Applications, Military Maintenance, Pharmaceutical, Repair and Operation (MRO), Transportation

Model : FACE SHIELD



Features

- Advantage Series All-Purpose Face Shield Clear Polycarbonate Shield, Ratchet Headgear with Blue Comfort Temple Band

Application

- Automotive, Construction, Food and Beverage Manufacturing, General Manufacturing, Sub Applications, Military Maintenance, Pharmaceutical, Repair and Operation (MRO), Transportation

Model : WELDING HELMET



Features

- Intense light lens, level 11.
- Protect light from welding both by gas and electricity
- Received ANSI Z87.1-1989, EN166, CE standards

Application

- Construction
- Welding Industry

Model : ES 71



Features

- When fitted, it will protect the wearer's face due to the special warp-around design.
- It fits most standard Safety Helmets which have a 30 mm slot & are best used with KARAM Helmets.

Application

- Used in Every industry, Construction Sites, Garages, for a variety of welding applications

Model : ES 61



Features

- Has Polypropylene Impact Resistant Shell with a high strength nylon Ratchet headgear
- Welding Lens can be lifted to allow clear view, while restricting harmful dust particles

Application

- Steel Fabricators , Steel Manufactures, Construction Sites, Garages, for a variety of welding applications

SAFETY SPECTACLES

Model : 3M11815



Features

- Virtua Ap Grey Spectacle
- With Hard Coating, Polycarbonate Lens
- Impact Resistant And Light Weight

Application

- Every industry
- Construction Sites
- Garages | Stores
- Oil & Gas

Model : ELIPTA



Features

- Contemporary sports style frame
- Soft adjustable non-slip TPE universal nose bridge
- Soft flexible co-injected temples further maximize wearer comfort TECTON K&N anti-scratch and anti-fog coating

Application

- Every industry
- Construction Sites
- Garages
- Stores

Model : SISINI BLACK REVO



Features

- Sports style design
- Soft adjustable PVC nose bridge
- Revo and polarised lens tint options available
- TECTON K&N anti-scratch and anti-fog coating*
- ARIDA moisture repellent coating**

Application

- Every industry
- Construction Sites
- Garages
- Stores

Model : BM08



Features

- Close-fitting protection Universal nose bridge Wide field of vision
- Anti-scratch lens
- Anti-fog coating on specific models

Application

- Every industry
- Construction Sites
- Garages
- Stores

Model : STEER CLEAR/GRAY



Features

- Stylish contemporary sports style design
- Deep fit lenses give close fitting protection whilst retaining a panoramic field of vision
- Soft adjustable TPE comfort nose bridge

Application

- Every industry
- Construction Sites
- Garages
- Stores

SAFETY SPECTACLES

Model : STREAM RED



Features

- Soft, Adjustable, Anti-slip nose bridge
- 100% metal free
- Lightweight 23g
- TECTON K&N anti-scratch and anti-fog coating*
- ARIDA moisture repellent coating**

Application

- Every industry
- Construction Sites
- Garages
- Stores

Model : FRESNA



Features

- 100% metal free
- Close fitting lateral protection
- Universal nose-bridge
- Standard anti-scratch coating

Application

- Every industry
- Construction Sites
- Garages
- Stores

Model : KOSMA



Features

- Soft TPE non-slip bridge
- Flexible temple tips
- 100% metal free
- TECTON K&N anti-scratch and anti-fog coating

Application

- Every industry
- Construction Sites
- Garages
- Stores

Model : QUADRO



Features

- Sports style sealed design
- Washable, soft TPE/foam inner frame seal provides a close,
- Comfortable facial fit
- Side-arms can be removed and easily replaced by the enclosed head strap
- TECTON 400 K&N anti-scratch and anti-fog coating with UV400

Application

- Every industry
- Construction Sites
- Garages
- Stores
- Oil & Gas,
- Chemical etc.

Model : ARION



Features

- Sports style sealed design
- Soft TPE padded seal enhances comfort and protection
- Inclinal temple adjustment allows easy fit onto most faces
- TECTON K&N anti-scratch and anti-fog coating

Application

- Every industry
- Construction Sites
- Garages
- Stores

SAFETY SPECTACLES

Model : BM 14



Features

- Anoramic single piece lens
- Integral side shield
- Interchangeable lens functionality
- 3 point adjustable temple length arms
- Universal nose bridge
- Weight: 25g
- Optical class 1 polycarbonate lens

Application

- Every industry
- Construction Sites
- Garages | Stores
- Oil & Gas

Model : NAVIGATOR



Features

- 4 Base Curve Lens
- Anti-Fog & anti Scratch lens coating
- Premium packing and micro fiber pouch
- Available in Six lens Option
- Available in Polarized lens option

Application

- Every Industry
- Construction Sites
- Garages | Stores
- Oil & Gas,
- Chemical etc.

Model : SSP 544



Features

- Wrap around with angle side protection
- Universal nose bridge
- Hard coated lens as standard
- Maximum protection
- EN 166 Coverage
- Meets ANSI Z87.1

Application

- Every industry
- Construction Sites
- Garages
- Stores

Model : BM04



Features

- Integral lateral protection
- 3-position length adjustment
- Soft comfort ventilated nose pads
- Soft temple ends
- Interchangeable lens functionality
- Weight: 22g
- Optical class 1 polycarbonate lens

Application

- Every industry
- Construction Sites
- Garages
- Stores

Model : SSP511



Features

- Wrap around with angle side protection
- Universal nose bridge
- Hard coated lens as standard
- Maximum protection
- EN 166 Coverage
- Meets ANSI Z87.1

Application

- Every industry
- Construction Sites
- Garages
- Stores

SAFETY SPECTACLES

Model : SSP 1004



Features

- Day and night executive style
- Stylish & light weight design
- Hard coated lens as standard
- Anti-Fog lens
- Individual packing
- Anti-Slip gripping nose pad
- EN 166 Coverage
- Meets ANSI Z87.1

Application

- Every industry
- Construction Sites
- Garages
- Stores

Model : SSP 5905



Features

- PVC Frame / Chemical goggle
- Anti-Fog
- High impact resistant
- Quality elastic strap with Adj. guide
- Special 6 Curve PC Lens
- EN 166 coverage
- Meets ANSI Z87.1

Application

- Chemical Handling

Model : VELIA



Features

- Padded face seal
- Quick release head strap buckle for ease of fitting when wearing a helmet
- Molten metal splash protection
- RX compatible
- RX optical insert available – see P6
- Standard anti-fog coating

Application

- Every Industry
- Construction Sites
- Garages | Stores
- Oil & Gas,
- Chemical etc.

Model : BM30



Features

- Low profile design
- Soft PVC comfort frame
- Fully adjustable pivoted head strap
- Standard anti-fog coating

Application

- Every Industry
- Construction Sites
- Garages | Stores
- Oil & Gas,
- Chemical etc.



Model : SG 234



Features

- Frame material: Soft PVC frame
- Lens material: PC lens
- Conform to: CE EN 166, ANSI Z87.1

Application

- Chemical Handling

SAFETY SPECTACLES

Model : LIGERA



Features

- Super lightweight 16.5g
- Sleek sports design – 10 base curve and integral nose piece
- Dual moulded temples with TPE temple ends for maximum fit and comfort
- Anti-Scratch and Anti-fog dual coated UV400 Lenses
- Highly curved lenses offer full wraparound protection and optimum vision
- High-impact resistance under extremes of temperature (-5-55°C)

Model : FLUX



Features

- Single wraparound polycarbonate lens
- Soft, adjustable anti-slip nose bridge
- Soft brow-pad further protects eyes against dust and droplets
- Co-injected bi-colour thermoplastic rubber temple provide a secure fit
- Multi-functional for a personalised fit: 3-position length adjustable temples and lens
- inclination adjustment

Model : CYPHER



Features

- Sports style 8 Base lens
- Soft, adjustable anti-slip nose bridge
- Co-injected bi-colour temples with flexible TPE ends enhance overall fit and comfort
- Supplied with a microfibre storage pouch
- Unique aero-slotted side arms

Model : TILLA



Features

- Can be worn overspectacles
- Adjustable and inclinable temples
- Ventilated temple tips and side shields
- Brow protection
- Anti-scratch and Anti-fog lens
- UV400 protection
- Ideal to be worn by site visitors

Model : Swarm



Features

- Stylish sports style frame
- Integrated deep fit lateral protection
- Slim fit textured temples
- Soft TPE nose pads
- Supplied with a microfibre storage pouch
- Black/Grey model features inner frame seal
- Black/Blue model features removable browguard refill packs available
- Polycarbonate lenses

EAR DEFENDER (EAR MUFF)

Model : 3MH9A



Features

- Peltor Optime 98 Yellow Earmuff,
- Over the head
- Light weight
- Universal, Comfortable and Effective Design
- Steel Head Band

Application

- Assembly | Cleaning
- Demolition | Electrical
- Facility Maintenance
- Grinding | Machine
- Operations | Painting
- Sanding | Welding

Model : 3MH10A



Features

- Peltor Optime 105 Red & Black Earmuff,
- Light Weight,
- Universal, Comfortable and Effective Design
- Steel Head Band

Application

- Assembly | Cleaning
- Demolition | Electrical
- Facility Maintenance
- Grinding | Machine
- Operations | Painting
- Sanding | Welding

Model : 3MH9P3E



Features

- Peltor Optime 105 Red & Black Earmuff,
- Light Weight
- Universal, Comfortable and Effective Design
- Steel Head Band

Application

- Assembly | Cleaning
- Demolition | Electrical
- Facility Maintenance
- Grinding | Machine
- Operations | Painting
- Sanding | Welding

Model : SEP107



Features

- Folding type with headband
- Light weight and palm size
- Excellent noise reduction
- Comfortable ear cushions
- NRR 24.88 dB, SNR 30 dB
- Standard cup colorred
- ANSI S3.19
- CE EN 352-1 Coverage

Application

- Assembly | Cleaning
- Demolition | Electrical
- Facility Maintenance
- Grinding | Machine
- Operations | Painting
- Sanding | Welding

Model : SEP 167



Features

- Easy to attach on helmet
- Light weight and palm size
- Excellent noise reduction
- Comfortable ear cushions
- NRR 22 dB, SNR 23dB
- Standard cup colorred

Application

- Assembly | Cleaning
- Demolition | Electrical
- Facility Maintenance
- Grinding | Machine
- Operations | Painting
- Sanding | Welding

EAR DEFENDER (EAR MUFF)

Model : SOTA H 5



Features

- High attenuation - SNR 34dB
- Lower profile cup design
- Large ear cushions allow freedom to fit majority of ears for a comfortable fit
- Easy on head adjustment thanks to individual slide action



Application

- Assembly | Cleaning
- Demolition | Electrical
- Facility Maintenance
- Grinding | Machine
- Operations | Painting
- Sanding | Welding

Model : SOTA N4



- High attenuation - SNR 32dB
- Lower profile cup design
- Large ear cushions allow freedom to fit majority of ears for a comfortable fit
- Easy on head adjustment thanks to soft adjustable strap
- Full integration with other PPE
- Approved to EN352-1:2002

Application

- Assembly | Cleaning
- Demolition | Electrical
- Facility Maintenance
- Grinding | Machine
- Operations | Painting
- Sanding | Welding

Model : 3M1110 C



Features

- Disposable corded earplug in polybag, Soft hypoallergenic pu foam, tapered design, smooth & dirt resistant surface for hygiene and with fabric cord.
- NRR29 DB / SNR 34DB

Model : 3M1100



Features

- Disposable uncorded earplug in polybag, soft hypoallergenic pu foam, tapered design, smooth & dirt resistant surface for hygiene
- NRR 29 DB / SNR 34DB

Model : EP 12



Features

- Corded – Ideal for multiple use in a day
- High attenuation - SNR 34dB
- Each pair of Ear Plugs are individually packaged
- High performance, high comfort
- A unique, new tapered design
- 200 Pairs Per Box

Model : EP 13



Features

- High attenuation - SNR 34dB
- Each pair of Ear Plugs are individually packaged
- High performance, high comfort
- A unique, new tapered design
- Stylish brightly coloured finish
- Made with soft polyurethane (PU) material for enhanced comfort
- 200 Pairs Per Box

Model : EP 14



Features

- Alpha Solway Ep14 Wall Mount ear plug dispenser
- A Refillable Ear plug dispenser that is able to store and dispense up to 500
- Pairs of ep11 ear plugs (included).

EAR DEFENDER (EAR MUFF)

Model : SotaMH2



Features

- SNR 30db
- Low profile cup design
- Large ear cushions allow freedom to fit majority of ears for a comfortable fit
- Slot easily into position with a lock mechanism for work or rest
- Low pressure but high performance ear muff
- Quality gloss finish for easy maintenance
- Stylish green and black design
- Compatible with ENHA Radius and Rockman Helmets
- Approved to EN 352-3:2020

Model : SOTA HH5



Features

- SNR 32db
- Low profile cup design
- Large ear cushions allow freedom to fit majority of ears for a comfortable fit
- Slot easily into position with a lock mechanism for work or rest
- Low pressure but high performance ear muff
- Quality gloss finish for easy maintenance
- Stylish orange and black design
- Compatible with ENHA Radius and Rockman Helmets
- Approved to EN 352-3:2020

Model : SOTA EP20



Features

- SNR 34dB
- Embedded with stainless steel elements make this ideal for the food industry
- Corded - Ideal for multiple use in a day
- Each pair of Earplugs are individually packaged
- High performance, high comfort
- A unique, new tapered design
- Stylish blue finish makes it applicable for the food industry
- Lightweight yet durable plastic cord
- Made with soft polyurethane (PU) material for enhanced comfort
- Full integration with other PPE

Model : SOTA EP21



Features

- SNR 37dB
- Each pair of Ear Plugs are individually packaged
- High performance, high comfort
- A unique, new bell shaped design
- Stylish brightly coloured finish
- Made with soft polyurethane (PU) material for enhanced comfort
- Use a simple 'Roll, Insert, Twist' action when inserting earplugs
- Full integration with other PPE

DISPOSABLE MASK

Model :



Model : 3PLYMASK



Model : ALPHA CUP N95



Model : KN95



Model : M1300 VBC



Model : SPIRO MAX



Features

- Protect against non-toxic aerosol, dust and particles
- Tough design outer shell
- Light weight and comfortable
- Adapt to various face-shapes
- 50pcs/box, 20boxes/ctn

Application

- Assembly, Construction, Maintenance, Manual Handling, Harvesting, fiber glass, cement products, gardening Etc

Features

- 3ply mask 50 pcs per box
- High filtration capacity
- Comfortable to wear
- Perfect fit
- Adjustable nose clip

Application

- Assembly, Construction, Maintenance, Manual Handling.

Features

- Cup shaped design without a valve
- Inner seal around the nose area
- Pre-formed nosebridge for enhanced comfort
- Retains its shape even in extreme conditions
- Dual elastic straps
- Certification: **NIOSH - TC-84A-7631**

Application

- Craft Work
- Iron & Steel Industry
- Mining
- Textile Industry

Features

- Flat fold respirator
- Adjustable nose clip
- Tabular elastic
- Earloop
- Extreme protection from Dust and other particles.

Application

- Assembly, Construction, Maintenance, Manual Handling.

Features

- Non-woven synthetic fibre mask
- Wide adjustable straps
- High performance exhalation valve
- Recommended for welding
- Nose clip for adjustment
- 10 pcs per box

Application

- Assembly, Construction, Maintenance, Manual Handling.



Features

- Outer Layer & Inner Layer: Polypropylene
- Filter Media : High filtration efficiency melt-blown
- Nose Piece : Plastic encapsulated Iron Wire
- Headband : Latex-free braided synthetic rubber with polyester yarn

Application

- Assembly, Construction, Maintenance, Manual Handling.

DISPOSABLE MASK

Model :2530 V FFP3



Features

- Lightweight, cup shaped respirator
- Low profile inhalation valve to reduce heat and moisture build up
- Four point head strap adjustment
- Preformed nosebridge with additional nose clip for a secure fit

Application

- Manufacture of Batteries
- Construction | Infection Control | Metalworking
- Mining | Pharmaceutical Industry

Model : AF2V FFP2



Features

- The AlphaFold SERIES is a foldable range of valved and non-valved respirators that offers excellent value. And offering P1 to P3 levels of respiratory protection. Elastic head straps, soft inner nose bridge for comfort and is easy to fit correctly. Range tested to 'Dolomite Test (D)'



Application

- Building hardware, Equipment maintenance, and Mineral mechanical.

Model : 3M8210 N95 MASK



Features

- NIOSH approved N95 rating
- Adjustable nose clip
- Nose foam
- Ultrasonically welded headbands

Application

- Building hardware, Equipment maintenance, and Mineral mechanical.

Model : 3M8212 MASK



Features

- 3M 8212 N95 is a disposable particulate respirator that is designed to help provide reliable respiratory protection for applications such as welding or soldering where metal fumes may be present.

Application

- Agricultural Production, Airborne Biological Particles, Bagging, Dry Chemical Handling, Foundry Operations, Grinding.

Model : 3M8511 N95 MASK



Features

- NIOSH approved N95 rating
- Adjustable M-nose clip
- Braided headbands
- Dual point stapled headband attachment
- Cool Flow™ Exhalation Valve

Application

- Grinding | Sanding
- Sweeping | Bagging
- Other dusty / hot operations

Model : 3M8512 MASK



Features

- 3M N95 welding respirator. N95 disposable respirator without face seal. For welding, soldering, and other operations where metal fumes may be present. Package quantity, 10

Application

- Airborne Biological Particles
- Foundry Operations | Metal Repair | Petrochemical Manufacturing

REUSABLE MASK

Model : 3M6200



Features

- This series combines comfort and convenience
- Comfortable soft; lightweight face piece with easy-to-adjust head straps
- NIOSH approved for negative pressure air purifying and supplied air dual airline applications

Application

- Construction, Facility Sanitation, Food Safety, General Manufacturing, Industrial Maintenance, Marine

Model : 3M7500



Features

- Ultimate reusable half facepiece mask. Advanced silicone material for increased comfort & durability, 3m cool flow valve for cool & dry comfort, soft seal design, dual mode head harness for standard & drop-down mode

Application

- Construction, Facility Sanitation, Food Safety, General Manufacturing, Industrial Maintenance, Marine

Model : 3M6800



Features

- Full face mask. Silicone faces seal for greater comfort & durability, very light weight & balanced design, large lens for wide field of view polycarbonate lens, scratch and impact resistant

Application

- Construction, Facility Sanitation, Food Safety, General Manufacturing, Industrial Maintenance, Marine

Model : 3M6001



Features

- NIOSH Approved Against Certain Organic Vapors
- Use With 3M™ Half and Full Facepieces 6000, 7000 and FF-400 Series with Bayonet Filter Holders
- Swept-Back Design for Enhanced Field of View and Balance

Application

- Construction, Facility Sanitation, Food Safety, General Manufacturing, Industrial Maintenance, Marine

Model : 3M6002



Features

- Replaceable cartridges attach easily to faceplate.
- NIOSH approved for protection against certain acid gases.
- Use with 3M Half-Face and 3M Full-Face Respirators.

Application

- Construction, Facility Sanitation, Food Safety, General Manufacturing, Industrial Maintenance, Marine

Model : 3M6003



Features

- Organic vapour and acid gas cartridge swept back design for enhanced field of view and balance
- Replaceable cartridges attach easily to faceplate.
- NIOSH approved for protection against certain acid gases & organic vapour

Application

- Construction, Facility Sanitation, Food Safety, General Manufacturing, Industrial Maintenance, Marine

REUSABLE MASKS

Model : HALF MASK



Features

- Well-balanced and lightweight (140g), providing optimum wearer comfort.
- Available in three sizes, creating a tailored fit profile, superb fit and comfort for any workforce.
- Fully adjustable head harness, offering easy fitting and adjustment, with a robust and trusted fit when in use
- The large exhalation valve reduces heat and moisture build-up, providing low breathing resistance
- Size : Small Medium Large

Application

- Agriculture | Laboratory and Disease Control
- Pharmaceutical Industry
- Welding work
- Woodworking
- Underground Civil Engineering

Model : FULL FACE MASK



Features

- Well-balanced and light weight (140g), providing optimum wearer comfort
- Available in 3 sizes creating a tailored fit profile, superb fit and comfort for any workforce
- Fully adjustable head harness, offering easy fitting and adjustment, with a robust and trusted fit when in use
- Low profile shape to maximise the field of vision and allow exceptional compatibility with other PPE
- Well-balanced and light weight (140g), providing optimum wearer comfort
- Available in 3 sizes creating a tailored fit profile, superb fit and comfort for any workforce
- Fully adjustable head harness, offering easy fitting and adjustment, with a robust and trusted fit when in use

Application

- Agriculture Laboratory and Disease Control
- Pharmaceutical Industry
- Welding work
- Woodworking
- Underground Civil Engineering

Model : FILTERS



Features

- Well-balanced and light weight (140g), providing optimum wearer comfort
- Available in 3 sizes creating a tailored fit profile, superb fit and comfort for any workforce
- Fully adjustable head harness, offering easy fitting and adjustment, with a robust and trusted fit when in use
- Low profile shape to maximise the field of vision and allow exceptional compatibility with other PPE
- Alpha Sentinel filters are fitted with a simple connection which easily click into position

Application

- Agriculture Laboratory and Disease Control
- Pharmaceutical Industry
- Welding work
- Woodworking
- Underground Civil Engineering

ALPHA
SOLWAY

ALPHA
SOLWAY

RESPIRATORY PROTECTION

REUSABLE MASKS

Model : 3M6006



Features

- Universal acid gas and vapour cartridge. Swept back design for enhanced field of view and balance. Hazard : organic vapour, acid gas, ammonia and formaldehyde
- Use with 3m half-face and 3m full-face respirators

Application

- Construction, Facility Sanitation, Food Safety, General Manufacturing, Industrial Maintenance, Marine

Model : 3M5N11



Features

- N95 NIOSH Approved particulate prefilter pad for certain non-oil-based particles
- Protection and performance
- Advanced filter construction reduces linting, helping to ensure exacting results during painting and refinishing operations.

Application

- Construction, Facility Sanitation, Food Safety, General Manufacturing, Industrial Maintenance, Marine

Model : 3M501



Features

- Platform for 5N11 and 5P71 N95 and P95 prefilters. Enables these filters to be directly attached to all 3M™ Full or Half Facepiece 6000 and 7000 Series Respirators.

Application

- Construction, Facility Sanitation, Food Safety, General Manufacturing, Industrial Maintenance, Marine

Model : 3M2091 P100



Features

- The 3M 2091 P100 (HEPA) Filter is sold by the pair and features extremely fine filtration that traps all but the most minuscule particles. The 3M2091 P100 Filters fit on the 3M 6000 Half Face Respirator and the 3M 7500 Respirator, as well as the 3M 6000 Full Face Respirator.

Application

- Metal fumes produced from welding, brazing, cutting and other operations involving heating of metals.

Model : HALF MASK RESPIRATOR-SRM 672



Features

- Respirator - Single cartridge/Double Cartridge
- Natural rubber
- Single cartridge type
- Smooth & Flexible
- Suitable for all face contour
- 2 Exhalation valve provide good breathing
- Comfort and resistant

Application

- Construction, Painting, farm planting, Gardening.

Model : HALF MASK RESPIRATOR CARTRIDGE



Features

- Durable
- 620 Suitable for dust particle
- 621 Suitable for organic web
- 622/ RC 203 Suitable for
- Anti-painting or spray

Application

- Construction, Painting, farm planting, Gardening.

RE USABLE MASK

Model : FULL MASK RESPIRATORS - EFR 1000



Features

- Mask body made of high quality anti-ageing
- Silicone which is anti-allergic & easy to clean
- Mask edge fits different face contours & provides
- Good air tightness.
- PC Window coated with anti-fog from inside & anti-friction

Application

- Construction, Painting, farm planting, Gardening.

Model : CHEMICAL CARTRIDGE EFR 1001



Features

- Protection against organic, inorganic
- And acid gases & vapors, and ammonia
- & derivatives class2, dusts

Application

- Construction, Painting, farm planting, Gardening.

Model : EYEVEX HALF MASK RESPIRATORS. EHR 5000



Features

- High Quality anti-ageing silicone mask body
- Anti allergic, Easy to clean & comfortable wear.
- The large face seal guarantees a perfect fit
- Good fit over facial curve & can be adjusted to different contours.
- Broadened visual field gives good view for safe operations.
- The water jet cut harness ensures perfect user adaptability and comfort
- Conforms to CE EN 140:1998, EN 14387:2004

Application

- Automotive, Construction, Electronics, Maintenance, Logistics.

Model : CHEMICAL CARTRIDGE. EHR 5001



Features

- Processing with the presence of acids,
- Sulphur dioxide, hydrochloric acid,
- Ammonia and derivatives.
- Conforms to CE EN 14387
- FILTERS
- Particle Filters: for half and full face masks are divided into three classes depending on
- How effectively they can separate dust. Color code -white

Application

- Building hardware, Equipment maintenance, and Mineral mechanical

KIT ARC 4 POWER

RESPIRATORY PROTECTION

Arc Flash Kit "Power", HRC 41.0 ,4 cal/cm ² , Class 12 ,2 oz/yd ²	
Standard	• ASTM F2178, ATPV: 40.0 cal/cm² • DGUV GS-ET-29, APC 2 (class 2) • W(LBP)= 630 kJ • EN 166 with CE-labelling • IEC 61482-1-1: ASTM F1959, ATPV: 41,0 cal/cm² • EN ISO 11612:2015 A1/B1/C1/F1 • EN ISO 11611:2015 class 2-A1 • EN 31092 / ISO 11092: RET= 7,10 m² Pa/W • EN ISO 15797
Features	• Arc Flash Hood with Integrated Hard Hat & Bracket Tested According to ASTM F2178, ATPV: 40.0 cal/cm² • Arc Flash Tested According to DGUV GS-ET-29, APC 2 (class 2) • Additional Tested with a Higher Test Level W(LBP)= 630 kJ • EN 166 "personal Eye-protection Requirements" with CE-Labeling • Jacket & Dungarees Arc Flash Tested According to IEC 61482-1-1: ASTM F1959, ATPV: 41,0 cal/cm² • Jacket & Dungarees Arc Flash Tested to IEC 61482-1-2, class 2 • Heat & Flame Protection According to EN ISO 11612:2015 A1/B1/C1/F1 • Welding Protection According to EN ISO 11611:2015 class 2-A1 • Extreme Breathable According to EN 31092 / ISO 11092: RET= 7,10 m² Pa/W for the Highest Arc Flash Protection • Clothing Industry Washing Suitable According to EN ISO 15797 • Ultra-light Grammage: 410g/m² (12 oz.yd²) • Outer Layer 240 g/m², 75% Aramid (Nomex®), 13% Modacrylic, 10.5% • Cotton, 1.5% Antistatic Component • Inner Layer 170 g/m², 100% Aramid (Nomex®) • Bag to Transport And Storage the KIT
Colour	• Grey Blue
Application	• Substations • Utilities Power Generators • Industrial Electrical Maintenance & Installations
Origin	• Germany



POWERED AIR PURIFYING RESPIRATORS (PAPRS)

Respiratory Protection Reimagined

The RPB PX5 changes the way people experience clean filtered air across multiple industries - from medical and chemical settings, through to the profoundly harsh environments of foundries. Weighing Just 1.16 Kg with the HEPA cartridge/filter fitted, and between 1.65 Kg and 1.7 Kg with a gas cartridge/filter fitted, the PX5 allows you to get more out of your day by reducing the effects of fatigue.

PX5 PAPR INDUSTRIAL STARTER PACK

Model : 03-801-FR-EUUK



Features

- PX5 PAPR blower
- Rechargeable battery and charging bank (EU and UK plug)
- Flame Retardant Belt
- Flow Tester
- 1 x HEPA (P3) filter
- 1 x spark arrestor
- 1 x pack of pre-filters (10pcs)

HEPA P3/FILTER

Model : 03-892-P



PRE-FILTER (PK 10)

Model : 03-890



SPARK ARRESTOR

Model : 03-891



COMBINATION HEPA AZP3 GAS FILTER

Model : 03-893-A2



COMBINATION HEPA ABEKP3 GAS FILTER

Model : 03-895-ABEK

COMPLETE CHARGER KIT

Model : 03-890



RESPIRATORY PROTECTION

EASY CLEAN BACKPACK ASSEMBLY

Model : 03-822-DC



FLAME RETARDANT BACK HARNESS ASSEMBLY

Model : 03-822-FR



SHORT BREATHING TUBE FOR BACKPACK ASSEMBLY

Model : 04-841



T-L INK RESPIRATOR, BUMP CAP

Model : 17-110-12-CE



- Bump Cap
- Tychem 2000 Hood
- PX5 Breathing Tube

BATTERY

Model : 03-855



Z-LINK RESPIRATOR - ZYTEC® FR CHIN SEAL

Model : 17-110-12-CE



- Safety Lens
- Chin Seal Zytec FR
- PX5 Breathing Tube

Z-L INK RESPIRATOR - ZYTEC® FR SHOULDER CAPE

Model : 16-010-31-CE



- Safety Lens
- Chin Seal Zytec FR
- PX5 Breathing Tube

Z-L INK RADIANT HEAT RESPIRATOR

Model : 16-010-24-CE



- Safety Lens
- Aluminized shoulder cape, top rear and breathing tube cover
- PX5 breathing tube

Z4 RESPIRATOR WELD/GRIND STARTER PACK

Model : 17-110-12-CE

- 1.1.1 ADF lens
- Flame Retardant face seal
- Slim-line earmuffs
- PX5 Breathing tube
- PX5° PAPR blower
- Rechargeable battery & charging bank (EU and UK plug)
- Flame Retardant belt
- 1 x HEPA (P3) filter
- 1 x spark arrestor
- 1 x pack of pre-filters (10 pcs)



SAFETY HAND GLOVES

HAND PROTECTION

Model : PVC DOTTED GLOVES BLUE (TWO SIDE)



Features

- 10g cotton yarn + PVC dots, 1030gms/ Dozen
- Excellent Mechanical Property and two side grip.

Model : COTTON GLOVES NB600



Features

- Navy Blue Cotton Knitted Gloves
- Specifications (600 Grams per dozen) Cotton Knitted Gloves
- Size: Large

Model : SPLENDORGRIP



Features

- Excellent dry & wet grip
- Robust solution for heavy duty applications
- Cuff Style is knit wrist

Model : DOTTED GLOVES WHITE 12OZ/10 OZ



Features

- 12g/10g Canvas + PVC dots, dyed knitted cuff, 1050g-1080g/Dozen
- Excellent grip, Good Resistance to abrasion and tearing
- Color: White

Model : ALPHA PRO SCAFOGRIP



Features

- 10g cotton yarn + Latex Coated
- Good Resistance to abrasion and tearing, Comfortable and soft, Textured grip

Model : SKYTEC TONSTGG



Features

- Rough finish on palm to ensure a secure grip
- Polyester/Cotton knit liner
- Elasticated cuff
- Breathable back of hand to reduce perspiration

Model : SHOWA 330



Features

- Reinforced double latex coating between thumb and index finger, ultra comfortable
- Elasticated cuff
- Rough finish over entire surface
- Antibacterial and anti-odor treatment

SAFETY HAND GLOVES

Model : NITRILE FOAM PALM SHOWA 380



Features

- Coated palm
- Elasticated cuff
- Foamed embossed finish
- Without special treatment
- Anatomical shape
- Seamless knit

Model : PU CUT 1



Features

- Durable PU palm coating provides a good level of protection against strips and abrasion
- Excellent grip in dry & wet conditions
- Flexible, close-fitting design for a comfortable wearing experience

Model : GRIP FC MULTIPRO



Features

- Fully nitrile coated
- High Sensitivity, Dexterity and Abrasion Resistant
- Elastic Low-Lint Glove
- Minimal Allergy Risk
- No irritation
- 15 gauge 100% Nylon Liner with a foam nitrile
- Length 23 cm

Model : NITRILE UNDERCOAT SHOWA 377



Features

- A flexible, robust glove offering great dexterity and with good resistance to tearing
- Glove stays correctly adjusted

Model : SKYTEC TONS TP1



Features

- Durable palm coating resists rips and abrasion
- Excellent grip in dry handling conditions
- Allows excellent freedom of hand movement
- Flexible and close-fitting design for a comfortable wearing experience

Model : PU COATED GLOVES WHITE



Features

- Excellent grip
- Durable palm coating resists rips and abrasion.

Model : BMG201



Features

- Durable safety gloves designed for secure handling
- Knitted polyester liner with durable yet flexible full nitrile coating
- Repel water and oil for enhanced grip
- Protect hand from oils, hydrocarbons and grease

Model : ABRASION SKYTEC ARIA



Features

- Enhanced lifecycle through increased resistance to abrasion and tearing
- Excellent grip in wet, dry and oily environments
- Seamless nylon/spandex liner

HAND PROTECTION

SAFETY HAND GLOVES

HAND PROTECTION

Model : SKYTEC T5PU



Features

- Outstanding comfort and dexterity with maximum cut protection
- Ideal for dryworking conditions
- Enables precise handling of small components

Model : PRIMO PB



Features

- EN388: Cut Level 3, Polyurethane Coating
- Cutresistant (EN388: Level 3)
- Durable palm coating resists rips and abrasion
- Excellent grip in dry handling conditions

Model : HOT MILL GLOVES



Features

- 100% Cotton Fabric
- Fabric Weight Of 32 Ounce 3ply
- FR COATED
- Ergonomical Design
- Snug Fit Gives good grip

Model : LEATHER GLOVES (SINGLE PALM)



Features

- Cow split leather gloves
- 3 Inch rubberized safety cuff
- Fleece lined palm
- Color Red with Grey H/D,
- Green color with Grey with double patch on the palm
- Palm liner
- Size 10/10 inch

Model : PRIMO NS-D



Features

- Excellent cut resistance: Level D (EN 388:2016)
- Durable foam nitrile palm coating grips in dry, damp and light oily conditions
- Lightweight 13gg HPPE, nylon and glass fibre liner provides good overall mechanical protection

Model : SKYTECARGON



Features

- Encapsulated air molecules provide an inherent cushioning effect
- Secure grip in wet and dry environments
- Excellent dexterity, flexibility and durability
- Silicone free

Model : SKYTEC XERI



Features

- Reinforced on the palm and fingertips for added protection in key areas
- Two closed finger tips provide precision and comfort
- Smart phone compatible
- Stretch nylon back
- Velcro wrist fastening

Model : LEATHER GLOVES DOUBLEPALM



Features

- Double padding in palm. Padding extends fully across palm and is fully stitched in.
- Padding in all fingers.
- Select shoulder leather
- Full 2-1/2" rubberized safety cuff.

SAFETY HAND GLOVES

Model : WELDING HAND GLOVES



Features

- Wing thump continues one pieceback
- Welt reinforced finger seams
- Split grain cowhide in red with blackwelted
- Jerseyliner material
- Finishing with piping

Model : IMPACT GLOVES



Features

- Durable double synthetic leather construction
- Complete finger protection with enhanced cushioned grip
- Oil and water-resistant palm
- Hi-vis color foreefficient hand signaling

Model : TORQ D FLECT



Features

- Foam laminated spandex fabric on top and aramid stitches makes the glove strong and resistant
- PVC dotted synthetic leather palm for enhanced cushioned grip
- Teflon® treated synthetic leather palm resists oil and water

Model : BMG234



Features

- A Cut resistance: level D (EN388:2016)
- A 13 gauge (HPPE, steel) liner offers great dexterity for fine handling
- A Excellent grip with a nitrile foam sandy coating on the palm.
- A Red nitrile foam for increased visibility

Model : ELECTRICAL GLOVES



Features

- High quality Latex rubber, ASTM D120, NFPA 70E & EN 60903
- 2500 volt, 5000 volt, 10000 volt, 20000 volt,
- 40000 volt Tested

Model : SKYTEC TORQUE FLEX™



Features

- Durable double synthetic leather construction
- Dense, moulded TPR protection zones on knuckles, fingers, thumb and back of hand
- Textured grip reinforced with Kevlar® applied to thumb and index finger

Model : SKYTEC TWISTER



Features

- Durable safety gloves designed for secure handling
- Knitted polyester liner with durable yet flexible full nitrile coating
- Repel water and oil for enhanced grip
- Protect hand from oils, hydrocarbons and grease

Model : A722 IMPACT



Features

- Breathable seamless liner
- Wrist strap for secure fitting
- Reinforced thumb crotch for extra protection and durability
- Nitrile foam coating for excellent grip in wet and dry conditions

HAND PROTECTION

SAFETY HAND GLOVES

HAND PROTECTION

Model : RUBBER LATEX INDUSTRIAL GLOVES



Features

- Super Thickness,
- Wear well.
- Heavy duty double-ply
- Black & Orange color
- Weight: 75-85gms/pair
- Length: 275-295mm, Width: 95-110mm

Model : BMG560



Features

- NBR nitrile unsupported gauntlet
- Flock lined for extra comfort and ease of donning
- Textured palm and fingertips for grip in wet and dry conditions
- EN374 and Category III approved

Model : SHOWA 660



Features

- Seals and protects the hand against chemicals while remaining flexible
- Impermeable for working in damp or greasy environments, enabling you to grip objects securely
- Surface provides tactile feel and better grip

Model : SKYTEC TEAL



Features

- Premium performance NBR nitrile disposable gloves
- Fingertip sensitivity
- Powder free, latex free, non-sterile
- Food safe
- Green coloring
- Smooth finish

Model : NITRA CHEM



Features

- Light sensitive,
- Bisque finish grip. 32cm.
- Soft cotton flocklined solvent-resistant
- High resistant to strong cleaning detergents.
- Silicone Free
- Colour: Green
- Length: 325-330mm

Model : PVC DD



Features

- Double Dipped PVC Gauntlet Gloves
- Sandy Finish for Chemical Handling
- Excellent Barriers against Chemical
- Comfort and Durable
- Special treatment and sanitized

Model : SHOWA 772



Features

- Fully coated, extra coating over entire hand
- Extended sewn sleeve, elasticated border
- Rough finish over entire surface
- Antibacterial and anti-odour treatment
- Cut and sewn

Model : XPERT NITRO ONE PRO



Features

- 100% Nitrile Powder Free
- Textured finish on Fingers to enhance Grip
- Rolled cuff for added protection from potential chemical spills and drips
- Ambidextrous, can be worn on either right or left hand

COVERALL

Model : POLY COTTON COVERALL



Features

- Poly Cotton 155gsm-160gsm
- Elastic waist take-up, Adjustable snap cuffs.
- Two way HD zipper/ with chest and lower pockets
- Double stitched seems
- Sizes- Small -5XL
- Colors- Petrol Blue, Navy Blue, Khaki.

Model : COTTON COVERALL



Features

- Cotton 100% 270gsm/220 gsm
- Elastic waist take-up, Adjustable snap cuffs.
- Two way HD zipper/ Chest and lower pockets, tools pocket, Pen pocket on sleeve
- Double stitched seems

Model : EURO ALPHA FR260



Features

- Composition: 100% cotton
- Weight: 320 GSM.
- Treatment: FR, Mercerized
- Reflective Tape: Yes
- Available sizes: S-4XL
- Available Colors: Navy Blue, Khaki, Petrol Blue, Orange, Red

Model : FR 21



Features

- CE certified
- Guaranteed flame resistance for life of garment
- Protection against radiant, convective and contact heat
- Class 2 Welding Protection
- 50+ UPF rated fabric to block 98% of UV rays

Model : TWILL COTTON COVERALL



Features

- Two way Zipper with Storm Flap
- Pen pocket on Arm
- Two Chest Pockets
- Sanforized mercerized and pre shrunk
- Small-5XL

Model : 100% PANT&SHIRT



Features

- Cotton 100% 270gsm
- Elastic waist take-up, Adjustable snap cuffs.
- Chest and lower pockets, tools pocket, Pen pocket on sleeve
- Double stitched seems
- Sizes- Small -5XL

Model : AF73



Features

- CE-CAT III
- Inherent flame resistant qualities will not diminish with washing
- Protection against radiant, convective and contact heat
- Sew on flame resistant industrial wash tape
- Triple-stitched seams for extra durability

Model : DISPOSABLE COVERALL



Features

- Material: 50 gsm SMS;
- Size: from S-4XL;
- 1 pcs/Bag, 50 pcs/Ctn.
- Color: white,
- Style: with hood, elastic cuff
- With tape, waist / ankle, zipper in front, 2 layers flap.

COVERALL

Model : BMC01



Features

- Light Weight Spun Bonded
- Polypropylene
- SMS breathable material
- Elasticated waist
- Overlocked stitched seams
- Available in white

Model : ST 70 BIZTEX



Features

- Excellent Barrier to Chemical Spray and Infective agents
- CE-CAT III CE certified Type 3/4/5/6
- Ergonomically shaped hood for a perfect fit
- Elasticated cuffs for a secure fit
- Thumb loop

CHEMMASTER



Features

- Ideal for a wide variety of chemical handling operations
- Highly regarded industry standard for over 30 years
- Tough and durable 380gm2 double sided coated PVC fabric
- Stitched and high frequency welded seams
- Many different configurations available from stock
- Approved to EN 14605:2005+A1:2009

DUST HOOD

Model : BALACLAVA COTTON



Features

- Poly Cotton 155gsm-160gsm
- Double stitched seams
- Colors- Petrol Blue, Navy Blue, Khaki

Application

- Agriculture
- Forestry & fishing
- Manufacturing
- Municipal services
- Oil & gas

FACEHOOD

Model : BALACLAVA NOMEX IIIA



Features

- Fireman
- Balaclava / Face Hood
- Nomex® IIIA Comfortable Knitted Fabric
- 200-210 g/m2.
- Nomex® IIIA Double Layer
- Customized Solutions Available.
- Technical Specification Conforming to BS EN 13911:2004.

SAFETY VEST

Model : SAFETY VEST



Features

- Heavy duty, Tricot type, 2 inch highly reflective strip, Breathable and comfortable under all-weather condition
- Type: Polyester Fabric, Polyester Mesh
- Color: Florescent Orange/ Florescent Green.
- Sizes: Large – 3XL

Model : FR71 FLAME RESISTANT VEST



Features

- CE certified
- Anti-static
- Premium sew on flame resistant reflective
- Tape
- Hook and loop closure for easy access
- Lightweight and comfortable
- Generous fit for wearer comfort

Model : S785 FR WINTER JACKET



Features

- Flame resistant treated waterproof fabric
- Prevents water penetration
- Internal chest pocket
- Ribbed cuffs for added comfort
- Anti-static
- Radio loop for easy clipping of a radio

Model : C476



Features

- Two lower patch pockets
- D-ring for keys or ID cards
- Dual ID holder allows use of both portrait and landscape ID card display

Model : C376



Features

- Cooling mesh fabric for increased breathability
- Reflective tape for increased visibility
- Front zip opening for easy access
- Two lower patch pockets
- Phone and pen holder pocket

Model : TK50 - SOFTSHELL JACKET



Features

- Breathable Windproof and water Resistant Fabric
- Generous fit for wearer comfort
- Hook and loop cuffs for a secure fit
- 6 pockets for ample storage
- Phone pocket
- Waterproof zips to prevent water penetration

Model : COOLING VEST



Features

- Simple V-neck with zipper closure; works for a wide range of people and uses - Can provide 5-10 hours of cooling relief per soaking
- Lightweight, easy to activate, and durable
- Comfortable quilted nylon outer with HyperKewl™ fabric inner, water repellent nylon liner, and black poly-cotton trim
- Adult Sizes: XS, S, M, L, XL, 2XL, 3XL, Custom

SAFETY SHOE

Model : EURO ALPHA –S301



Features

- High Angle shoes with black leather upper, CE standard second layer split embossed cow leather 1.4-1.6mm, Dual density PU cleat sole, CE standard steel toecap (200J), CE standard steel mid plate (1100N), Mesh Lining

Model : ALPHA PRIME E1050 S3 SRC



Features

- Upper: Buffalo Smooth Leather
- Inside: PU + Suede Leather without Lace
- Sole: PU injection
- Standard: CE ENISO 20345:2011-S3 SRC
- Size: EUR 39-46
- Steel Toe, Steel Plate, Anti-static, water-repellent

Model : ALPHA PRO 9K



Features

- Breathable Kevlar Insole
- Excellent Abrasion Resistant
- Absorb Perspiration and Reduces Fatigue
- 200J, Polycarbonate Toe cap
- Electrical Resistant to 18KV

Model : FW95 SAFETY GUM BOOT



Features

- Kick spur
- Reinforced ankle protection
- Fully waterproof
- Dual density PVC/Nitrile construction
- Protective steel toecap
- Pierce resistant steel midsole
- Anti-static footwear
- Energy Absorbing Seat Region

Model : S1P ALPHA PRO



Features

- Steel Toe cap 200J
- Slip Resistant
- Shock absorption
- Puncture Resistant
- ENISO 20345

Model : ALPHA PRIME E1051 S3 SRC



Features

- Upper: Buffalo Smooth Leather
- Inside: PU + Suede Leather, With Lace
- Sole: PU injection
- Standard: CE ENISO 20345:2011-S3 SRC
- Size: EUR 39-46
- Steel Toe, Steel Plate, Anti-static, water-repellent

Model : EURO ALPHA GUM BOOT



Features

- Upper: 100% PVC
- Outsole: PVC + Nitrile
- Lining: easy dry Airmesh
- Height: 380mm
- Weight: 1.6KG
- Size: 39 --- 46 (EUR)
- Function: Steel toe, Steel plate
- CE ENISO 20345:2011 S3 SRC

Model : COSMOS B1503



Features

- S3 ESD SRC
- UPPER: Water-resistant full grain leather
- LINING: Smell Stop Deluxe
- MIDSOLE: Fresh'n Flex
- TOE-CAP: Space Cap
- SOLE: Ant fatigue AirTech cleated
- Size Range: 39-48

SAFETY SHOE

Model : BISON TOP B0741



Features

- Antistatic Footwear
- Waterresistant upper to prevent water penetration
- 200joules resistant toe-cap
- Heatresistant 1 minute up to 300°C
- Cold insulation up to -17°C
- Hydrocarbons resistant

Model : FC53 RENO MID CUT



Features

- Back pull-tab for ease of getting onto the foot
- Premium suede upper
- Dual density outsole
- Made with cow suede leather for a premium finish
- Pierce resistant composite midsole
- Anti-static footwear
- PU/PU Sole

Model : FC61 OPERIS HRO



Features

- Additional top-eyelot to offer a closer fit
- Back pull-tab for ease of getting onto the foot
- Leather stitched toe bumper
- Pierce resistant composite midsole
- Heat resistant outsole 300°C
- Composite toecap for added protection

Model : B0251 PIXEL



Features

- CE certified
- Guaranteed flame resistance for life of garment
- Protection against radiant, convective and contact heat
- Class 2 Welding Protection
- 50+ UPF rated fabric to block 98% of UV rays

Model : FW32 STEELITE



Features

- Full-grain nubuck leather
- Phylon and Rubber outsole offering lightweight and durable performance
- High wicking breathable mesh lining
- Padded collar for added comfort
- Heat resistant outsole 300°C

Model : FC 15 DERWENT



Features

- Direct injected mesh with KPU Cage, providing strength and
- Breathability
- Superbly cushioned comfort foot bed reducing foot fatigue
- Reinforced heel and toe
- Back pull-tab for ease of getting onto the foot

Model : B0676 BOWLING



Features

- Anti-static footwear
- Waterresistant upper to prevent water penetration
- 100% metal free
- 200 joules resistant toe-cap
- Puncture resistant sole
- Shock absorption in the heel region
- Hydrocarbons resistant

Model : B0323 KATE



Features

- Anti-static footwear
- Waterresistant upper to prevent water penetration
- 200 joules resistant toe-cap
- Puncture resistant sole
- Shock absorption in the heel region
- Hydrocarbons resistant
- Women's width

FOOT PROTECTION

SAFETY SHOE

Model : B0271 WAKE



Features

- Anti-static footwear
- 200 joules resistant toe-cap
- Puncture resistant sole
- Shock absorption in the heel region
- Hydrocarbons resistant
- Men's width

Model : ALPHI S3



Features

- Low shoe, perspiring and abrasion resistant technical fabric and MICRO-tech thickness 1,8-2,0 mm.
- HIGHLY perspiring and abrasion resistant fabric lining.
- Soft, lined and padded tongue.

Model : OXFORD S3



Features

- TOECAP 200J polymeric composite non-thermic according to EN 12568
- MIDSOLE flexible antiperforation composite fabric according to EN 12568
- SOLE KUBE bidensity polyurethane antistatic, resistant to hydrolysis ISO 5423:92
- To hydrocarbons and to abrasion, anti-shock and anti-slipping SRC
- INSOLE 4000, removable, anatomic, absorbing, antistatic and perspiring

Model : EDISON ELECTRIC SHOES



Features

- Perspiring and abrasion resistant fabric lining.
- Soft, lined and padded tongue
- TOECAP 200J polymeric composite non-thermic according to EN 12568:98
- INSOLE removable, anatomic, absorbing, antistatic and perspiring
- Antiperforation midsole

Model : B0870 EXTREME



Features

- Anti-static footwear
- Water resistant upper to prevent water penetration
- 100% metal free
- 200 joules resistant toe-cap
- Puncture resistant sole
- Shock absorption in the heel region
- Hydrocarbons resistant
- Men's width
- Orthopaedic made to measure footbed, complying with European
- Norms DGUV 112-191

Model : INDIANA RIGGER BOOT HRO EH - UFC13



Features

- Protective composite toe cap
- Puncture resistant non-metallic midsole (PR)
- Electric hazard protection (EH)
- Fuel and oil resistant outsole
- Heat resistant outsole - 300°C
- 100% non-metallic
- Wide fitting
- Full grain leather upper providing a barrier to
- All weather conditions

FALL PROTECTION

Model : HARNESS PN 21



Features

- Attachment Elements - A Dorsal attachment D-Ring for Fall Arrest
- Adaptability - Adjustable shoulder and thigh-straps; Sliding Plates for easy adjustment of Chest-Strap
- Convenience - Shoulder and thigh-straps differentiated by a dual colour scheme

Model : HARNESS DOUBLE HOOK



Features

- Adaptability - Adjustable shoulder Sliding Plates for easy adjustment of Chest-Strap
- Convenience - Shoulder and thigh-straps differentiated
- Ergonomics - Ideally positioned sit-strap for extended comfort
- Energy Absorber Double hook Webbing Lanyard



Model : RESCUE KIT PN652



FALL PROTECTION

Model : LANYARD PN361



Features

- Made of 44mm wide polyester webbing.
- Length 1.5 m, 1.8 m, 2.0 m.
- PN 112 with Energy Absorber PN 300 at one end and two Steel Scaffold Hook PN 131 at other ends.
- Conforms to EN 355:2002 + VG11/PFE 63 (Additional Static Strength Test)



Model : TRIPOD PN800



Features

- Fully adjustable telescopic legs, adjustable height from 1.15m to 2.15m
- Wheelbase (Footprint): 1.5m Diameter
- Weight : 12.15 kgs
- Maximum Load Capacity : 500kg



Model : MINI BLOCK PN2002



Features

- Maximum Length 2.5 m
- Has a protective casing
- Absorber for shock absorption
- Retractable webbing width 47mm



Features

- Immediate Rescue equipment contained in the Kit enables immediate rescue of a personnel when suspended at height after suffering a fall.
- Conforms to all relevant CE norms.
- Comes with Easy Back Packable Carrying bag.
- Different lengths of ropes available as per the requirement

ROAD SAFETY

Model : TRAFFIC BATON LIGHT, MAGNETIC BASE WITH WHISTLE, RED



Features

- The top can be used to break window, loud whistle for SOS.
- Magnet on the bottom. Function: Flash-Steady-Lighting-Close
- Re chargeable type. Can work 20 hours after 10 hours fully charged
- Size: Length: 29cm, DIA: 3cm
- Material: Pipe: PC, Handle: ABS

Application

- Road Construction, Mall Parking, Housing projects parking.

Model : REVOLVING LIGHT (MAGNETIC BASE WITH CAR CHARGER) RED/YELLOW



Features

- The series is an advanced SOLAR LED BEACON Light RED with 64 pcs super bright led bulb. It was designed
- With an internal switch, water proof resistant, and a magnetic bottom.
- It can use in transportation maintenance, safety marking, coastal area, park, channel, fence, tower, cruise, road

Application

- Road Construction, Mall Parking, Housing projects parking.

Model : SOLAR BARRICADE LIGHT YELLOW



Features

- Solar Powered: 4V, 100mA
- Frame: PP Shell; Lens: AS, Dia: 18Cm
- Double lens with advanced optics for high visibility
- 4 pcs high intensity LED bulbs
- Function: Flash-4Quad Flash-Steady-Close, working 60-80hrs with fully charged (8 Hrs.)

Application

- Road Construction, Mall Parking, Housing projects parking.

Model : SOLAR WARNING LIGHTS YELLOW/WHITE/RED



Features

- Battery: 600mAh rechargeable batteries
- Photo control: off in daylight and flash in night automatically
- Material: PC lens, ABS base, ON/OFF button on the bottom, light control.
- Product size: $\Phi 71 \times 153$ mm, Solar panel: 3V 95mA, Battery: 1.2V 600mAh
- 360 degrees lens for all round light visibility

Application

- Road Construction, Mall Parking, Housing projects parking.

Model : LED TRAFFIC ARROW BOARD 1.20* 40CM (BLACK/YELLOW ARROW) LEFT/RIGHT



Features

- Board size: 1.2m*40cm thickness: 50mm 78 pcs LEDs (Yellow/Black)
- Solar power, Solar Panel: 10W, Battery: 7Ah
- Work 7 days after fully charged, Single Mode Operation,
- Traditional solar traffic sign: point led light

Application

- Road Construction, Mall Parking, Housing projects parking.

Model : LED FULLY LIT TRAFFIC SIGN BOARD BLUE/WHITE (RECTANGLE STYLE)



Features

- Bright LED lighting with high reflective sheet
- Visual distance: more than 200m
- Small size, easy to carry / Battery Operated
- With magnet on the back

Application

- Road Construction, Mall Parking, Housing projects parking.

ROAD SAFETY

**Model : LED FULLY LIT
TRAFFIC SPEED SIGN BOARD
(ROUND STYLE)**



Features

- Fully lit: Whole board lighted equally greatly increase luminous area, easily attract people's attention to warning the driver and pedestrian for potential danger.
- Slim design: Appearance no different from the normal sign.
- Aluminum wrapping edge - Patent design: New advanced anti-oxidation Aluminum wrapping edge, 2-3 times durable than old silicon wrapping, effectively extend the life time.

Application

- Road Construction, Mall Parking, Housing projects parking.

**Model : PEDESTRIAN SIGN
BOARD BLUE/WHITE (SQUARE
STYLE) - SOLAR/DC**



Features

- Fully lit: Whole board lighted equally greatly increase luminous area, easily attract people's attention to warning the driver and pedestrian for potential danger.
- Slim design: Appearance no different from the normal sign.
- Aluminum wrapping edge - Patent design: New advanced anti-oxidation Aluminum wrapping edge, 2-3 times durable than old silicon wrapping, effectively extend the life time.

Application

- Road Construction, Mall Parking, Housing projects parking.

**Model : ROAD STUD (TWO
WAY) RED, YELLOW, WHITE**



Features

- High quality reflector meets Euro reflective road stud standard.
- Impact to car wheels.
- Visibility distance: >1000 meters
- Lifetime: 3 to 5 years
- Waterproof >Ip68

Application

- Road Construction, Mall Parking, Housing projects parking.

Model : TRAFFIC CONE



Features

- Premium grade PVC construction assures flexible yet rugged durability
- Its high visibility provides the user with ultimate conversion of light
- Base Wide 35cm Height (100cm)
- One Reflective Collar 31cm
- Weight :5kg

Application

- Road Construction, Mall Parking, Housing projects parking.

Model : TRAFFIC POST



Features

- Bright orange post have 3"bands of reflective
- Height 43"
- Designed for quick set-up with limited space

Application

- Road Construction, Mall Parking, Housing projects parking.

Model : ROAD BARRIER



Features

- Length 2000 mm (red and white)
- Width 460mm
- Height 900mm

Application

- Road Construction, Mall Parking, Housing projects parking.

ROAD SAFETY

Model : PLASTIC CHAIN



Features

- Durable Plastic Chain
- Red and White Colour
- 2 Meter for 20 Meter Roll

Application

- Road Construction, Mall Parking, Housing projects parking.

Model : CONVEX MIRROR



Features

- Impact resistant
- Weather proof
- Bright reflection
- Available 60/80 & 100 CM

Application

- Road Construction, Mall Parking, Housing projects parking.

Model : CAUTION TAPE



Features

- Brightly coloured
- Warns Excavation crews of job done
- Marked with Text indicating Hazard
- Main Captions
- Electrical, Water, Sewage, Telecommunication, Optic Fiber line
- 150 mm x 360 mm x 65 mic

Application

- Road Construction, Mall Parking, Housing projects parking.

Model : ROAD BLOCKING TAPE



Features

- This tape is made of 100% virgin plastic material
- Perfectly used in construction areas, painting work areas, safety warning scenes and any potentially dangerous areas
- High visibility and easy to apply. Ideal for marking bounds and dangerous areas, giving warning to public where it is not safe
- Red and white non-adhesive tape of size 2 inches X 80mtr

Application

- Road Construction, Mall Parking, Housing projects parking.

Model : SAFETY NET



Features

- High quality PVC
- 1 mtr Height
- 20 mtr Length

Application

- Road Construction, Mall Parking, Housing projects parking.

Model : CAUTION WET FLOOR



Features

- Available in plastic and stainless steel material
- Durable, lightweight, and weather-resistant
- Foldable and stackable design for easy storage and transportation.
- Come in different types like blank, no parking, caution wet floor, repairing in progress, and
- More signs.

Application

- Marking hazardous areas.
- Directing foot traffic.
- Indicating areas that require caution.
- Providing instructions for specific areas.

FIRST AID /PPE KIT & EYE WASH

Model : FIRST AID KIT 10/25/50



Features

- Cleaning and covering small wounds
- Recommended for industrial companies
- Meets HSE requirements

Application

- Construction, Maintenance, Manual Handling and Painters

Model : EYEWASH KIT



Features

- Two sterile solution
- Transparent lid
- Can be easily wall mounted
- Two integrated eye cups
- 1 Mirror

Application

- Chemical and pharmaceutical work sites
- Fire and emergency teams, hazmat vehicles
- Remote places in mining, Agriculture and construction
- Disaster management sites

Model : PPE KIT



Features

- Cover all
- Shoe Cover
- Eye wear
- Hairnet
- Faceshield
- Gloves
- Disposable Bag

Application

- Travelling Purpose
- Hospital Visit
- Covid Protection

Model : PORTABLE EYEWASH



Features

- Self-contained 8/15 gallon gravity flow eyewash unit.
- Easy installation with no plumbing required
- Easy-to-use design features operating instructions on the unit itself

Application

- Chemical and pharmaceutical work sites
- Fire and emergency teams, hazmat vehicles
- Remote places in mining, Agriculture and construction

Model : EYEWASH SHOWER



Features

- Shower Head: 10" diameter head provides water flow.
- Shower Valve: 1" IPS Stainless Steel ball valve. The valve is activated by a pull rod.
- Supply: 1-1/4" NPT female inlet. (Upper Tee Joint)
- Waste: 1-1/4" NPT female outlet. (Bottom Tee Joint)

Application

- Chemical and pharmaceutical work sites
- Fire and emergency teams, hazmat vehicles
- Remote places in mining, Agriculture and construction
- Disaster management sites

Model :



Features

- 10 gallon/20 gallon
- Nylon bags and Mounted Bin
- Contents include Pad, Boots, socks, Pillow ppe etc

Application

- Chemical Area
- Petrol station
- Factories
- Constructions

FIRE FIGHTER

Model : THROWABLE EXTINGUISHER



Direction 2 (Mix with Water)
Drop one bottle into a bucket
Add 4L - 8L of water
Splash it at the fire

The proper way of using the throwing-type extinguisher

Fire on hard and solid items: Throw the product directly into the flames.

Oil fire: Throw the product at the wall or the floor close by and let the liquid spread and cover the flames.

How to use

Throw Directly-Take out the extinguisher and throw it at the flame.

Features

- **Excellent Power**

FFT suppresses fire with its chemical reaction and cooling effect within 3-5sec. When the extinguishing agent meets fire, the bubble foam and the gases (carbonic gas and ammonium gas) are generated. It blocks Oxygen and suffocates the fire with cooling effect.

- **Practical**

FFT is suitable for emergency situation of an early-stage fire and because it is easy to use, anybody can use it regardless of age or gender at any positions without shaking like the powder ones.

- **Economical**

FFT requires no recharge and no regular check-up, thereby saving time and money. Most of extinguishers require recharging and regular checking once every 6-12 months but FFT will set you free from these hassles.

- **Extensive Application**

FFT has an outstanding extinguishing power to suppress an initial stage of A-class fire (wood, paper), B-class fire (oil) and C-class fire (electricity). It works great at any temperatures ranging from -20°C to 80°C. (For the product available at lower temperatures, See FFTP.) It also works well under any kind of weather conditions, unlike

Eco-friendly

The liquid agent of inside FFT is harmless to human, animals and nature. The result of skin irritation test shows that its irritation index is "zero(0)" from

Model : FIRE BLANKET ROLL



Features

- Fiber Glass non-Woven Fabric
- Comes in different thickness
- 0.4mm/0.8/1.6
- 50 meter and 25 meter available
- 500°C Centigrade Temperature capacity

Application

- Industrial Safety
- Steel Mills
- Electric Arc Welding
- Boiler Room Sparks
- Welding

Model : FIRE BLANKET



Features

- Sizes: 1.2X1.2 MTRS,
- 1.8X1.8 MTRS,
- Tested & Certified to BS EN 1869: 1997 and AS/NZS 3504

Application

- Big Construction
- Oil & Gas Industry, Painters

BULLDOZER FIREMAN SUIT



Heavy Duty Fire Fighting Suit

Fabric Weight	260 GSM
Material	100% Cotton Fire Retardant Pyrovatex
Color	Navy Blue
Weight/Carton	20 kgs
Carton Dimension	60 x 40 x 50 cms
Applications	• Protects From Flash Fire • Welding • Electric Arc Protection • Protection From Heat & Flame • Protection From Molten Metal Splash

BULLDOZER FIREMAN BOOTS



Fire Fighting Boot - BD9788

Sole	Resistant Towards Mild Acids
Color	Black/Yellow
Sizes	38-46
Weight/Carton	19 kgs
Carton Dimension	42 x 42 x 42 cms
Sole Protection	• Black in Colour • 80% Chloroprene Rubber • 20% Nitrile Rubber • Oil Resistant

SLINGS AND ACCESSORIES

Model : NYLON ROPE



Features

- Polypropylene rope has a low stretch and good knot retention
- Resistant to oils, rot, mildew and most chemicals
- Color is yellow, Blue, Red and trade size is 4mm-24mm by 80 Y
- The safe work load limit for this item is 113 lbs.

Model : CARGO LASHING BELT



Features

- 2" (50mm), 1" (25mm)
- 10 mtr
- 5,000 Kgs
- Double J Hook
- Ratchet
- Made with 100% polyester webbing

Model : LIFTING BELT



Features

- Manufactured to EN 1492-1 & ASME B30.9 (Flat Slings) & EN 1492-2
- Highly customizable depending on client requirements
- SWL from 500kg to 150 tons, EWL from 50cm to 100 mtrs
- ISO 9001 certified production process with stringent quality control procedures

Model : SHACKLES



Features

- Screw pin deeshackles
- TI-209
- Screw pin deeshackles
- TI-210
- These items meet the performance requirements of US FED Specification

LIGHTING PRODUCTS

Model : NU20



Features

- Output and Runtime:
- Turbo: 360 lumens / 30 min
- High: 220 lumens / 6 hr
- Mid: 40 lumens / 7 hr 45 min
- Low: 1 lumen / 100 hr
- Battery: Built-in 600mAh rechargeable battery
- Beam Intensity: 1600cd

Model : P10I FLASH LIGHT 1800 LUMENS



Features

- Max Output : 1800 Lumens
- Max Beam Distance : 290 m
- Max Beam Intensity : 21100 cd
- Max Runtime : 50 h 0 m / 2.08 d
- LED Luminus : SST-40-WLED
- Battery : 2 × CR123, 1 × 21700
- Special Modes : Strobe

Model : NITECORE P20IX FLASH LIGHT



Features

- Max Output : 4000 Lumens
- Max Beam Distance : 221 m
- Max Beam Intensity : 12200 cd
- Max Runtime : 350 h 0 m / 14.58 d
- LED : 4 × CREE XP-L2 V6 LEDs
- Battery : 1 × 21700i, 2 × CR123
- Special Modes : Strobe
- Beam color : White Light
- Length : 141.5 mm / 5.57 in
- Head Size : 31.8 mm / 1.25 in
- Weight : 116 g / 4.09 oz

Model : NITECORE I4 BATTERY CHARGER



Features

- **Input**
AC 100~240V 50/60Hz | 0.25A(max) 10W | DC 9~12V 1A
- **Output**
4.35V±1%/4.2V±1%/ | 3.7V±1%/1.48V±1% | 1500mA x 1
/ 750mA x 2 / 500mA x 2 / 375mA x 4

Model : TINI 2 TITANIUM 500 LUMEN



Features

- Super Bright Keychain Flashlight
- Usb-C Rechargeable
- OLED Display

Model : Flash light - MH10 V2



Features

- Max Output : 1200 Lumens
- Max Beam : Distance 202 m
- Max Runtime : 1500 h 0 m / 62.5 d
- Battery : 1 × 21700, 1 × 18650
2 × CR123, 2 × RCR123
- Weight : 77.5 g / 2.73 oz
- Feature : Rechargeable

Model : NITECORE P20i FLASH LIGHT



Features

- Max Output : 1800 Lumens
- Max Beam Distance : 343 m
- Max Beam Intensity : 29500 cd
- Max Runtime : 50 h 0 m / 2.08 d
- LED Luminus : SST-40-WLED
- Battery : 1 × 21700i, 2 × CR123
- Special Modes : Strobe
- Length : 142.6 mm / 5.61 in
- Head Size : 31.8 mm / 1.25 in
- Weight : 113.5 g / 4.00 oz

Model : NITECORE NU35 USB RECHARGABLE HEAD LAMP



Features

- Max Output : 460 Lumens
- Max Beam Distance : 48 m
- Max Beam Intensity : 580 cd
- Max Runtime : 340 h 0 m / 14.16 d
- Battery : Rechargeable Li-ion, 3 × AAA
- Special Modes : Location Beacon, SOS, Warning Flashing

LIGHTING PRODUCTS

Model :



Features

- Max Output : 100 Lumens
- Max Beam Distance : 37 m
- Max Beam Intensity : 350 cd
- Max Runtime : 130h 0m / 5.41 d
- Battery : 2 × AA
- Beam color : White Light
- Weight : 42.5 g / 1.50 oz
- Activity : Industrial

Model : NITECORE BAG NDP20 KHAKI



Model : NITECORE FSP100 FOLDABLE SOLAR PANEL



Model :



Features

The Nitecore EH1 Explosion Proof Headlamp is approved for usage in ATEX I M1 and ATEX Zone 0 / 1 hazardous regions. Powered by two 18650 Li-Ion batteries, this flashlight has a run duration of 120 hours 0 minutes / 5 days with a maximum output of 260 lumens at a range of 205 meters.

Model : NITECORE NPS600 PRTBLE PWR STATN



Features

- Cell: 21700 Li-ion Batteries
- Capacity: 594Wh (10.8V, 55Ah) (16500mAh)
- DC Input: 14.4V-26V, up to 10A (160W max)
- AC Output:
- 220V Version: 220V~1.36A 50Hz, Pure Sine Wave, 300W, 600W surge
- 110V Version: 110V~2.75A 60Hz, Pure Sine Wave, 300W, 600W surge
- Cig Lighter Port: 12V 10A; DC Output: 12V-10A (Total 120W max)
- USB Output: 5V 2.4A, 12W max each port
- USB QC Output: 5V 2.4A / 9V 2A 18W max
- USB-C Output: 5V 3A / 9V-3A / 12V 3A / 15V 3A / 20V 3A 60W max
- Operating Temperature: -10-40 (14~104)

WELDING PPE

Model : TORCH APRON ONE & TWO PIECE



Leather Welding Apron

Applications	• Cutting • Welding • Small Particles of Molten Splash • Protection From Radiant Heat
Material	Leather

Model : TORCH COVER



Leather Welding Shoe Cover

Applications	• Cutting • Welding • Small Particles of Molten Splash • Protection From Radiant Heat
Material	Leather

Model : TORCH SLEEVES



Leather Welding Sleeves

Applications	• Cutting • Welding • Small Particles of Molten Splash • Protection From Radiant Heat
Material	Leather

Model : TORCH JACKET



Welding Jacket, Crust Leather

Applications	• Cutting • Welding • Small Particles of Molten Splash • Protection From Radiant Heat
Material	Leather

FREEZER CLOTHING

Model : POLAR TROUSERS AND JACKETS

Cold Storage (Freezer) Trouser

Applications	• Refrigerated Warehouses • Frozen Food Processing • General Maintenance in Cold Weather, Material Handling
--------------	---



GAS DETECTOR

Model : BW C2-H H2S



H2S Personal Monitor, 24 Months

Features	• Detector Complete With Specified Sensor • Stainless Steel Alligator Clip & Concussion-Proof Housing • Test Cap, Instructions
----------	--

Model : BW C3-H H2S



H2S Personal Monitor, 36 Months

Features	• Detector Complete With Specified Sensor • Stainless Steel Alligator Clip & Concussion-Proof Housing • Test Cap, Instructions
----------	--

Model : BW MICRO CLIP XL



H2S Personal Monitor, 24 Months

Features	• Choose The GasAlertMicroClip XL for Cold Weather Performance • Intelliflash™ Verifies Operation Compliance to Both the User Supervisor • Tamper-proof, One Button Operation
----------	---

Model : BW MAX XT II



H2S Personal Monitor, 24 Months

Features	• Continuous LCD Shows Real Time Gas Concentrations • Water-Resistant Simple Automatic Calibration Procedure; Compatible with Bw Microdock II Automatic Test & Calibration Station
----------	---